


COMPLETE REPERTORY

ROGER VAN ZANDVOORT



ABOUT THE REPERTORY

- Author: Roger Van Zandvoort
- Year of publishing: 1996
- Number of remedies: 2171 (But actually having 1725 remedies excluding those which are not found in the repertory when counted from the index)
- Available in printed and electronic form
- Volumes: Three separate volumes
 - One big volume having chapters from mind to generalities covering almost 2830 pages
- PREFACE by Dr. Dario Spinedi
- It is mainly based on Kent's Repertory or can be considered as the well corrected and improved version of Kent's Repertory. Initially it came out as database file for use with Kent Homoeopathic Association, MAC Repertory and for HOMPETH Software. Now other softwares (ISIS) also giving options of this repertory.



Fig 2 : Complete repertory :


- 1.3 in one volume
- 2. Separate volumes

HISTORY



Roger van Zandvoort
Complete Repertory

- Roger Van Zandvoort was born on November 30, 1958 in Heerlen, Netherlands. He was interested in herbal medicine and joined to study Naturopathy in Hilversum and he found the Boericke's Materia Medica as a good source book of many herbal plants. He develops interest in studying Homoeopathy and study the system with at most compassion.
- In **1982** he started **working on additions and corrections to Kent's Repertory**, without initial intention of publication. He started practicing Homoeopathy in 1985. That work was for the **benefits of his patients**.
- In 1987 he brought a computer and Mac Repertory (developed by Bill Gray with additions of Vithoulkas to Synthetic Repertory) for his practical easiness and he was just **shocked to found many alarming dissimilarities and corrections between Kents Repertory and Synthetic Repertory**. He liked the Synthetic repertory, so he started collecting materials to add to Mac Repertory and got confused about the authenticity of the contents as he cannot trace the sources and authors properly. So he got involved in finding out where these additions really came from. There's a **lot of information missing in Kent's Repertory**, and that is one of the reasons that he began this work.
- In 1990, guided by **Dr. Jost Kunzli** and later by **Hansjoerg Hee and Dario Spinedi**, **40 medical doctors** from Germany, Austria, and Switzerland began to integrate Roger's Boenninghausen Characteristics and Repertory into the Complete Repertory. During the ensuing 6 years Roger received and integrated their work into his Repertory.

- 
- From these efforts sprang a database called the “Complete Repertory” that started to be used commercially in homeopathic software programs such as Mac Repertory and later CARA and Hompath.
 - By updating and improving the Complete Repertory, **Dr. Roger still works full-time on this project.**
 - Complete repertory is one of the **widely used repertories since the last decade.** This project work is done by the **Institute of Research in Homoeopathic Information and Symptomatology.**

GRADATION

4 grades: In printed form:

- 1st Grade : BOLD UPPERCASE
- 2nd Grade : UPPER CASE
- 3rd Grade : ***Bold Italis***
- 4th Grade : Roman

4 grades :In electronic form:

Gradation of remedies in Complete Repertory 2019 version

- 1st Grade: BOLD UPPERCASE
- 2nd Grade: **Bold in red**
- 3rd Grade: *Italics in blue*
- 4th Grade: Normal

Zomeo Jeremy : Repertory List

Patient Repertory Books Remedy Words Utility Academics Acute Expert System Physician Preferences Help Window

Speed Case

Search Chapters

Complete

Mind

Vertigo

Head

Eyes

Vision

Ears

Hearing

Nose

Smell

Face

Mouth

Taste

Teeth

Throat

Neck

[Complete] [Head]EXTERNAL:Left: Search

3 Left: (113) (Cont.)

Meny **Merc** Mez Mill Mur-ac Nat-c **Nat-m**
Nit-ac Nit-m-ac Ol-an Olnd **Par** Paraf
Ped Petr Ph-ac **Phos** Plat Pter-a Rhod
Rhus-t **RUTA** Sabad Sac-l **Samb** Seneg Sep
Sil Sol Spig Stann Staph **Stram** Stront-c
Sulph Sumb Tarax Tax **THUJ** Upa Ust **Verb**
Viol-t Xan Yuc Zinc

4 Right, then: (1)

Adam

3 Right: (96)

Adam Agar Agn Alum Am-c Am-m Ambr **Anac**
Ang Arn Aur Bar-c Bell **Berb** Bor Brom **Bry**
CALC **CANTH** Caps Carb-an Carb-v Carc
Caust **Chel** Chin Clem Coloc **CON** Dig **Dros**

Dulc Fl-ac **Form** Germ Graph Guai Hep
Herin Iod Irid-m **Kali-c** Kali-n Knau
Kreos Lach Laur Led Lim Lyc Mag-m Mang
Meny Merc **MEZ** Mosch Mur-ac Nat-c Nat-m
Nico-r **Nit-ac** **Ol-an** Oplo-h Petr Ph-ac
Phos Pic-ac **Plan-1** **PLAT** Plut Prim-v
Psor **Puls** Pyrus-c Ran-b Ran-s Rhod
Rhus-t Sabad **Sars Sep** **SIL** Spig Spong
Stann **Staph** Stront-c Sulfa Tarent Tax
Teg-a Thuj Trachy-a Verat Viol-t Zinc

4 Left, then: (1)

Irid-m

3 Morning: (81)


Agar Alum Alum-p Am-m Ang Ant-c Ant-t
Arg-n **Bar-c** **Berb** Bov **Bry Calc** Calc-s

< >

14:43
30-04-2019

SOURCES

- Mainly based on **1st** , **2nd** and **6th** edition of **Kent's Repertory**.
- Schmidt's and Chand's final general Repertory
- CCRH's (Dr.Rastogi's) corrections to Boger Boenninghausen's Repertory.
- Boenninghausen's Repertory and Boenninghausen's unique private additions.
- Boerike's Matetia Medica and repertory
- Sivaraman's additions to Kent's Repertory
- Kunzli's Repertorium generale
- Phatak's additions
- Homoeopathic journals
- Author ID is mentioned in numbers as superscript after the remedy. The rubric source is mentioned in parenthesis with page numbers of that individual reference. Total 302 authors index is given as source.



PHILOSOPHICAL BACKGROUND

- ➡ Generals to particulars.

Plan and construction

- The Repertory is available in the print form and electronic form. In the print form it is available as a single all in one volume or in three volumes. In the electronic form it is available with Mac Repertory/Hompath Classic/ ISIS etc.
- Volume I : Mind
- Volume II : Vertigo to Speech and voice
- Volume III : Respiration to Generalities

CHAPTERS:

1. MIND
2. VERTIGO
3. HEAD
4. HEAD PAIN
5. EYES
6. VISION
7. EARS
8. HEARING
9. NOSE
10. SMELL
11. FACE
12. MOUTH
13. TASTE
14. TEETH
15. THROAT

16. STOMACH
17. ABDOMEN
18. RECTUM
19. STOOL
20. BLADDER
21. KIDNEY
22. PROSTATE GLAND
23. URETHRA
24. URINE
25. MALE GENITALIA
26. FEMALE GENITALIA
27. LARYNX AND
TRACHEA

28. SPEECH AND VOICE
29. RESPIRATION
30. COUGH
31. EXPECTORATION
32. CHEST
33. BACK
34. EXTREMITIES
35. EXTREMITY PAIN
36. SLEEP
37. CHILL
38. FEVER
39. PERSPIRATION
40. SKIN
41. GENERALITIES



ARRANGEMENTS OF RUBRICS

- General rubrics
- Sides (one sided, left, right)
- Time
- Modalities and concomitants
- Extending to
- Localisations
- Sensations



MAJOR CHANGES MADE TO KENTS REPERTORY

1.REMEDY ABBREVIATIONS:

- In Kent s Repertory, we can see that different abbreviations were used for the same remedy at different places .For eg. Kaol and Alum-sil became Alum sil . (A full index to abbreviation changes can be found on the Indexes page in the Reference section.)
- Remedies have been re-alphabetised according to the abbreviations.
- Some remedy abbreviations have been changed to ensure less confusions, mainly for the mineral salts, metals, acidums and aceticums.
- For example:

Aceticums, aceticas will end in **acet**. Eg: Am-acet. Instead of Am-a.

Alkaloids end in **“in”**. Eg: conin-br instead of coni-br .

Arsenicums, arsenicums. etc. end in – **ar** Eg: Nat-ar instead of Nat-a

Carbonicums end in **c**, with an exception of Calc-carb

Cyanatums end in **cy** Eg: Arg-cy instead of Arg-c

Ferro-cyanatums end in **fcy** Eg: Kali-fcy instead of kali- fer

Magnets begin with **M** to avoid confusion with Magnesiums, which remain as mag.

Lacticums end in **L** Eg: Ferr-l instead of Ferr-lac

Metallicums have **no suffix** Arg instead of Arg-m

Muriaticums end in **m** Eg: Arg-m instead of Arg mur.

Nitrates, nitrites, etc. End in –**n** Eg: Stron-n instead of Stron-nit.

Oxydatums end in – **o** Eg: Ant-o

Oxalicums end in –**ox**. Eg: Ant-ox

Sulphuricums, sulphates, sulfites, etc, end in – **s**. Previously sometimes -sul or -s.

Example: Merc-sul was changed to Merc-s



2.The most important word in a rubric was moved to the beginning of that rubric.

Eg|: During urination - Urination during

3.All the agg rubrics with amel sub rubrics were re-organised.

Eg: stooping agg. amel ,became Stooping agg, amel


4.Older terminology was replaced by more modern terminologies

Eg. Miscarriage by Abortion , Siesta by afternoon sleep

5.Replaced the inconsistent use of several words with the same meaning by a single word throughout.

Eg. Micturation became urination, qualmishness became nausea

6.The gradings of the remedies in Kent's original repertory have been checked.



7. Reorganize rubrics in the “Mind” chapter- there have been some important changes and additions to the rubrics of the mind chapter

- **Dreams** rubric is mentioned in the **mind** chapter instead of sleep chapter in Kent’s repertory. The Dreams represent emotional impressions and mental strain.
- **Bodily anxieties** and apprehensions have been included in the “**mind**” chapter under the rubric anxiety. The reason for this is that, although felt in a specific part of the body, it is still an expression of emotional value and therefore should be included in the MIND chapter. Of course we also preserved those rubrics in the specific body part chapter.

Eg: STOMACH; Anxiety in has been included in Mind; Anxiety; Stomach, in.

- The separate mind rubrics **talk**, **talking** and **talks** have been combined into one rubric named talk, when their aetiology was a more emotional-mental one.



8.A new chapter has been added namely **SPEECH AND VOICE** containing those rubrics related to motor and physiological aspects (which were previously found in mind) and the voice rubrics which formerly found in the larynx and trachea chapter.

9.The sub-rubrics mentioning animals and body or body parts under the main rubrics Delusions, Dreams and Fear have been put together under the heading: body, body parts or animals.

Example: Fear; dogs, of (Kent p 44) became Fear; animals; dogs, of.

10.For pain of extremities and head, separate chapters have created like **EXTREMITY PAIN** and **HEAD PAIN** in order to minimise confusions and difficulties resulting from vast size of the hierarchy.

11.Rubrics related to face chapter are purely mentioned in this chapter with cross references at the old location .

Eg:. All locations of eyebrows, eruptions outside nose, forehead etc.

12.Desires and aversions of foods are moved to **GENERALITIES** chapter under the rubric food and drinks

13. In **stomach chapter indigestion** rubric contain the **modalities of indigestion** where as **disordered** rubric consist of **all specific food that cause indigestion**.

14. In **respiration chapter** rubrics given under **difficult and impeded** are merged and put under rubric **difficult**

15. In **generalities chapter** all **abusive and poisonous** substances are put under the rubric **abuse of poisoning with**

16. Wherever the rubric reorganizations have made there the old rubric will be present as it is without remedies for the easy search with a cross reference to the new rubric place.

17. **All noises in all different chapters** have been put together like in the **ear**, under the main rubric **“noises”**

18. In the **‘abdomen’ chapter** all **epigastrium locations** have been moved to the **stomach chapter** and have been put in the general stomach rubrics there.



19. **Lot of cross reference** was created with comparison with Kent's repertory. For cross references if no remedies are mentioned in the rubric means after an arrow mark the cross reference word will be given. If remedies are mentioned a point sign is used before the cross reference. If the cross reference is in different chapter than the first word will be in UPPERCASE.


20. If “-” is used instead of “;” then it indicates that it has several sub rubrics that the reference is referring to. For ex. Fear ; bad news, hearing – horrible things – sad stories means fear ; bad news, hearing/ fear ; horrible things/ fear ; sad stories.

21. The gradation of remedies of different repertories have been equated to form the complete repertory is mentioned separately.

22. Complete repertories main rubric will have all the remedies mentioned in its sub rubrics.

23. **REPERTORY PAGE REFERENCES:** Other reference sources are mentioned with page number in brackets immediately after the rubric.

For ex. ALCOHOLISM , dipsomania (K36,S1 398, G28) means K for Kent repertory page no.36, S1 or synthetic repertory volume1, G-Repertorium generale,.



24. **New rubrics**

25. The author identification numbers (ID's) are;

- *Based on chronology,
- *Based on the dates that the listed authors first published their work.
- *Author numbers are displayed as subscript numbers behind the remedy abbreviation.

Repertories compared	English Kent 1898/1957	CR Classic	CR 4-5 1995	CR 2009	Synthesis 9.1 2009	CR 2014	CR 2015	CR 2016	CR 2017	CR 2018	CR 2019	CR 2020
# of rubrics with remedies	64.230	100.888	125.583	178.094	139.714	190.164	191.877	202.721	204.337	205.878	210.280	211.804
# of remedies	624	2.394	n/a	2.394	2.373	2.497	2.502	2.518	2.536	2.545		2.566
# of references and cross-references	0	157.410	52.066	216.577	28.744	292.740	295.531	309.143	284.510	290.034	295.154	296.196
# of author (source) references	n/a	2.843.730	n/a	3.439.769	1.773.453	4.874.792	5.025.508	6.029.109	5.631.013	5.793.309	6.056.378	6.115.644
# of remedy occurrences	503.145	1.431.487	932.636	1.913.936	1.066.987	2.427.654	2.470.257	2.530.413	2.607.602	2.629.179	2.710.175	2.739.062
Grade 1 Boen	338.879	918.529	720.027	1.327.392	816.612	1.585.766	1.613.852	1.716.029	1.716.335	1.728.769	1.775.914	1.495.599
Grade 2 Boen		44.425		56.237	0	103.864	113.338	172.898	167.045	170.721	176.910	467.563
Grade 3 Boen	129.362	318.774	171.064	360.203	201.295	499.087	502.975	522.825	522.719	525.835	542.526	557.040
Grade 4 Boen	34.904	149.622	41.107	169.875	49.180	195.547	196.634	201.046	200.468	202.820	205.400	218.467
# additions clin. ver. (grade 3, 4 Bön. or 2, 3 K)**	164.266	468.396	212.171	530.078	250.475	694.634	699.609	723.871	723.187	728.655	747.926	775.507
Clinically verified %	32,65	32,72	22,80	27,70	23,47	28,61	28,32	28,61	27,73	27,71	27,60	28,31
Average number of remedies per rubric *	8	14	7	7	8	13	13	12	13	13	13	13
Availability	a	a	n.a.	n.a.	a	n.a.	n.a.	n.a.	n.a.	n.a.	a	soon
Average # sources per addition		1,99		1,80	1,66	2,01	2,03	2,38	2,16	2,20	2,23	2,23
sources	1					1.855	3.003	3.701	4.231	4.298	4.357	4.378

* Average rubric-size for full repertory (excluding empty rubrics and those containing only a unique single listing of a single remedy)

* see Synthesis 9.1 Profile on Archibel's website, (<http://www.archibel.com/profileofsynthesis9indetail.html?&L=-vwfzjztzjrte>) ** Bön = Bönninghausen, K = Kent

all CR and RU repertories © Roger van Zandvoort



MERITS:

- Certainty about finding the correct rubrics and remedies
- A complete overview of related rubrics using cross – references
- A choice of information from old and new sources, using the latest provings.
- The best possibilities for curing patients
- And it is the most comprehensive repertory in existence because it has: approximately 5,15,000 checked additions .
- For quick reference of rubrics and repertorisation
- Authenticity of sources
- Updating repertory



THANK YOU